



Medsol

What is Tobramycin Ophthalmic Solution?

Drugs, Herbs and Supplements

<https://medsol.info/drugs/tobramycin-ophthalmic-solution/>



MedSol

Tobramycin ophthalmic solution is an aminoglycoside antibiotic also known by the brand name Tobradex, is used to treat bacterial eye infections. It works by killing susceptible bacteria that cause infections by blocking bacterial protein synthesis. It will not work for any other kind of infection. Susceptible bacteria dies due to lack of functional proteins. Tobramycin is available as a 0.3% ophthalmic solution (eye drops and ointment). Clinical survey says that Tobramycin is used to eliminate *Pseudomonas aeruginosa* in cystic fibrosis patients.



Medsol

Way of using Tobramycin Solution

Eye drop- Wash your hands before using the eye drop. Do not touch the tip of the dropper to avoid contamination. Place the dropper above your eyes and placing 1 drop at a time, close your eyes for few minutes and rotate it in both clock and anticlock wide to spread it evenly. Relax keeping eyes closed.

Ointment- Wash your hands before and after usage. Squeeze the tube to apply a thin layer of ointment to your lower lid. Close your eyes to spread it. Your vision may get blur for few minutes. Be careful about the quantity as directed by your doctor. Relax for some time after using it, do not go for any work that needs high attention and vision clarity.



Medsol

Benefits of Tobramycin Ophthalmic

Tobramycin Ophthalmic Solution eyedrop is an antibiotic medication that usually works by stopping the growth of the bacteria that causes infection. It works in curing the redness, itchiness, or pain in the eye due to the bacteria's infectious effect in your eye.

Tobramycin is active against Staphylococcus aureus virus. It is a powerful medication that can stop the bacteria to grow again in the same area. The dosage should be exactly followed as per doctors advice.



Medsol

Side effects of Tobramycin

- Redness in the eye may occur for few minutes or if you rub it after use, contact your doctor if it doesn't fade after an hour also.
- Mild burning of eye may be noticed after using the ointment or the drop.
- Vision may get blur after the use of ointment
- Slight discomfort may happen for few minutes.
- Stinging can also be observed. Do not use more than directed.
- Itchiness also may occur.
- Worst effect could be sensitivity to light or weakness of eyesight. Contact your doctor immediately after observing any of these.



Medsol

Precautions to follow before using

- Let your doctor know if you are allergic to [tobramycin ophthalmic solution](#)
- He should be aware if you are taking any other medication simultaneously, whether allopathic, herbal, ayurvedic or any kind of medications.
- Tell your doctor clearly if you are pregnant or planning to be.
- You should tell him if you are a breastfeeding mother while taking this medication. It can pass through the nursing baby.
- Your vision may get blurred after using of ointment, so do not go for any work that need concentrated , just after using it.
- Use as much as directed, missed dose can be covered, additional/ extra dose may affect differently.



Medsol

We have tried our best to give every possible information about Tobramycin Ophthalmic Solution which we mean to be correct, comprehensive, and up to date. However, consult your doctor for any prior information or help.

Thank You

<https://medsol.info/drugs/tobramycin-ophthalmic-solution/>